



**SAFETY DATA SHEET**  
HEAVY DUTY DEGREASER

Page 1  
Issued: 17/09/2002  
Revision No: 1

**1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING**

**Product name:** HEAVY DUTY DEGREASER  
**Use / description of product:** Irritant.  
**Company name:** Greyland Ltd  
Greg Street  
South Reddish  
Stockport  
Cheshire  
SK5 7BX  
United Kingdom  
Tel: +44 (0) 161 476 3607  
Fax: +44 (0) 161 477 1870  
Emergency tel: +44 (0) 161 476 3607

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

**Ingredients:** DISODIUM METASILICATE 1-10%  
CAS: 6834-92-0  
EINECS: 229-912-9  
[C] R34; [Xi] R37

- 2-(2-BUTOXYETHOXY)ETHANOL 1-10%  
CAS: 112-34-5  
EINECS: 203-961-6  
[Xi] R36
- 2-BUTOXYETHANOL 1-10%  
CAS: 111-76-2  
EINECS: 203-905-0  
[Xn] R20/21/22; [Xi] R36/38
- 01824700 1-10%  
CAS: 68439-45-2  
[Xn] R22; [Xi] R41
- 02845000 1-10%  
CAS: 1300-72-7  
[Xi] R36

**3. HAZARDS IDENTIFICATION**

**Main hazards:** Irritating to eyes and skin.

**4. FIRST AID MEASURES (SYMPTOMS)**

**Skin contact:** Blistering may occur. Progressive ulceration will occur if treatment is not immediate.  
**Eye contact:** Corneal burns may occur. May cause permanent damage.

[cont...]

**SAFETY DATA SHEET**  
HEAVY DUTY DEGREASER

**Ingestion:** Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

**Inhalation:** There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

**4. FIRST AID MEASURES (ACTION)**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10 minutes. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. If unconscious and breathing is OK, place in the recovery position. If conscious, ensure the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** Corrosive. In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Notify the police and fire brigade immediately. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Clean-up should be dealt with only by qualified personnel familiar with the specific substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**7. HANDLING AND STORAGE**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** Must only be kept in original packaging.

**SAFETY DATA SHEET**  
HEAVY DUTY DEGREASER**8. EXPOSURE CONTROLS / PERSONAL PROTECTION****Ingredients:** 2-BUTOXYETHANOL

TWA (8 hr exposure limit): 25 ppm STEL (15 min exposure limit): 50 ppm (OES)

**Engineering measures:** Ensure there is sufficient ventilation of the area.**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.**Hand protection:** Impermeable gloves.**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.**Skin protection:** Impermeable protective clothing.**9. PHYSICAL AND CHEMICAL PROPERTIES****State:** Liquid**Colour:** Colourless**Odour:** Characteristic odour**Oxidising:** Non-oxidising (by EC criteria)**Solubility in water:** Soluble**Also soluble in:** Most organic solvents.**Viscosity:** Non-viscous**Flash point°C:** 70**pH:** >12.5**10. STABILITY AND REACTIVITY****Stability:** Stable under normal conditions.**Conditions to avoid:** Heat.**Materials to avoid:** Strong oxidising agents. Strong acids.**Haz. decomp. products:** In combustion emits toxic fumes.**11. TOXICOLOGICAL INFORMATION****Ingredients:** 2-BUTOXYETHANOL

ORL RAT LD50 470 mg/kg

- 01824700

ORL RAT LD50 &gt;200&lt;2000 mg/kg

- 02845000

ORL RAT LD50 &gt;7000 mg/kg

**Routes of exposure:** Refer to section 4 of SDS for routes of exposure and corresponding symptoms.**12. ECOLOGICAL INFORMATION****Mobility:** Readily absorbed into soil.**Persistence and degradability:** Biodegradable.**Bioaccumulative potential:** No bioaccumulation potential.**Other adverse effects:** Negligible ecotoxicity.

### 13. DISPOSAL CONSIDERATIONS

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

### 14. TRANSPORT INFORMATION

#### ADR / RID

<b>UN no:</b> 1760	<b>ADR Class:</b> 8
<b>Packing group:</b> III	<b>Classification code:</b> C9
<b>Hazard ID no:</b> 80	<b>Labelling:</b> 8
<b>Shipping name:</b> CORROSIVE LIQUID, N.O.S.	
<b>Technical name(s):</b> (DISODIUM METASILICATE)	

#### IMDG / IMO

<b>UN no:</b> 1760	<b>Class:</b> 8
<b>Packing group:</b> III	<b>EmS:</b> 8-15
<b>Marine pollutant:</b> .	<b>Labelling:</b> 8

#### IATA / ICAO

<b>UN no:</b> 1760	<b>Class:</b> 8
<b>Packing group:</b> III	<b>Packing instructions:</b> 818(P&CA); 820(PAO)
<b>Labelling:</b> 8	

### 15. REGULATORY INFORMATION

**Hazard symbols:** Irritant.



**Risk phrases:** R36/38: Irritating to eyes and skin.

**Safety phrases:** S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of water.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

### 16. ADDITIONAL INFORMATION

**Risk phrases used in s.2:** R34: Causes burns.  
R37: Irritating to respiratory system.  
R36: Irritating to eyes.

**SAFETY DATA SHEET**  
HEAVY DUTY DEGREASER

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R36/38: Irritating to eyes and skin.

R22: Harmful if swallowed.

R41: Risk of serious damage to eyes.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.